


Copyright FCI



3

NOTES:

- I) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - -HOUSING GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - -SIGNAL CONTACT COPPER ALLOY.
 - -POWER CONTACT HIGH CONDUCTIVITY COPPER ALLOY.

2

- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) I.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658. APPLICATION SPECIFICATION REFER TO FCI GS-20-141. PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

| | | | | | | | | | | - | |
|------------------|----------------|--|-------------------------|---------|--------|-----------------|----------|--------------|-----------------------|----------|--|
| | | | | | | | | | | | |
| dr | Rainbow Zhan | | 2014/08/26 | proje | ction | | | size | scale | | |
| eng | Rainbow Zhan | | 2014/09/02 | projec | | MM | | A 3 | 3:2 | | |
| chr | Li- He | | 2014/09/02 | | | - | | ecn no - | | | |
| appr | Pei-Ming Zheng | | 2014/09/02 | product | family | P | wrBlade+ | rel level | Released | | |
| F | Ċj | | HDP + 243 STB HEADER | S + 5H | DP |)P | | 06 32-H00600 | | rev A | |
| www.fci.com cat. | | | ο. | | Pro | duct - | Customer | Drw | sheet 3 of | 3 | |
| 3 PDS: Rev :A | | | | | | STATUS:Released | | | Printed: Sep 03, 2014 | | |

А

FCI

Copyright

D

А

В

С